

# BIRDLIST SANDAI SANCTUARY

Prepared by: Samuel N. Mugo and David Kamau

B = Known to Breed / M = Migrant / R = Rare

Serial = refers to „Checklist of the BIRDS OF KENYA 1996“

Z = refers to Plate-Nr. in „Birds of Kenya“ (Zimmerman/Turner/Pearson)

S = refers to Plate-Nr. in „Birds of East Africa“ (Stevenson/Fanshawe)

162 Birds / November 2008

Serial	Z	S	NAMES	Status
948	100	203	<b>APALIS, BLACK THROATED</b> <i>Apalis j. Jacksoni</i>	
568	64	128	<b>BARBET, RED-FRONTED</b> <i>Tricholaema diademata</i>	
554	64	127	<b>BARBET, WHITE-EARED</b> <i>Stactolaema leucotis kilimensis</i>	
1013	86	209	<b>BATIS, CHIN-SPOT</b> <i>Batis molitor</i>	
514	60	114	<b>BEE-EATER, CINNAMON CHESTED</b> <i>Merops oreobates</i>	B
501	60	116	<b>BEE-EATER, EUROPEAN</b> <i>Merops apiaster</i>	
1258	111	267	<b>BISHOP, YELLOW</b> <i>Euplectes capensis crassirostris</i>	B
870	96	183	<b>BLACKCAP</b> <i>Sylvia atricapilla dammholzi</i>	M
1064	82	234	<b>BOUBOU, TROPICAL</b> <i>Laniarius aethiopicus</i>	B
729	75	156	<b>BULBUL, COMMON</b> <i>Pycnonotus barbatus</i>	B
1352	121	285	<b>BUNTING, CINNAMON-BREASTED ROCK</b> <i>Emberiza poliopleura</i>	
1354	121	286	<b>BUNTING, GOLDEN-BREASTED</b> <i>Emberiza flaviventris kalaharica</i>	B
1059	83	238	<b>BUSH-SHRIKE, GREY-HEADED</b> <i>Malaconotus sulfureopectus</i>	
1052	83	238	<b>BUSH-SHRIKE, SULPHUR-BREASTED</b> <i>Malaconotus sulfureopectus similis</i>	
239	29	58	<b>BUSTARD, BLACK-BELLIED</b> <i>Eupodotis melanogaster</i>	
237	29	58	<b>BUSTARD, BUFF-CRESTED</b> <i>Eupodotis ruficrista gindiana</i>	
239	29	58	<b>BUSTARD, WHITE-BELLIED</b> <i>Eupodotis senegalensis canicollis</i>	
206	27	51	<b>BUTTON-QUAIL, COMMON</b> <i>Turnix sylvatica lepurana</i>	
142	33	35	<b>BUZZARD, AUGUR</b> <i>Buteo augur</i>	
933	103	199	<b>CAMAROPTERA, GREY-BACKED</b> <i>Camaroptera brachyura</i>	B

1337	120	282	<b>CANARY, BRIMSTONE</b> <i>Serinus sulphuratus sharpii</i>		
1332	120	282	<b>CANARY, YELLOW-CROWNED</b> <i>Serinus canicollis flavivertex</i>		
746	89	216	<b>CHATTERER, RUFOUS</b> <i>Turdoides rubiginosus</i>	B	
910	98	192	<b>CISTICOLA, ABERDARE</b> <i>Cisticola aberdare</i>		
898	97	195	<b>CISTICOLA, HUNTER'S</b> <i>Cisticola hunteri</i>	B	
922	99	191	<b>CISTICOLA, PECTORAL-PATCH</b> <i>Cisticola prunescens</i>		
912	97	193	<b>CISTICOLA, RATTLING</b> <i>Cisticola chiniana</i>	B	
893	97	195	<b>CISTICOLA, SINGING</b> <i>Cisticola cantans pictipennis</i>	B	
923	99	191	<b>CISTICOLA, WING-SNAPPING</b> <i>Cisticola ayresii mauensis</i>		
1333	120	283	<b>CITRIL, AFRICAN</b> <i>Serinus citrinelloides</i>		
1310	118	274	<b>CORDON-BLEU, BLUE-CAPPED</b> <i>Uraeginthus cyanocephalus</i>		
1309	118	274	<b>CORDON-BLEU, RED-CHEEKED</b> <i>Uraeginthus b. bengalus</i>	B	
422	52	98	<b>COUCAL, WHITE-BROWED</b> <i>Centropus s. superciliosus</i>		
230	9	56	<b>CRANE, GREY CROWNED</b> <i>Balearica regulorum gibbericeps</i>		
996	103	219	<b>CREEPER, SPOTTED</b> <i>Salpornis spilonotus</i>	R	
963	103	187	<b>CROMBEC, RED-FACED</b> <i>Sylvietta brachyura leucopsis</i>	B	
1095	80	242	<b>CROW, PIED</b> <i>Corvus Albus</i>	B	
1076	81	154	<b>CUCKOO-SHRIKE, BLACK</b> <i>Campephaga flava</i>		
411	51	95	<b>CUCKOO, AFRICAN</b> <i>Cuculus gularis</i>	M	
404	52	94	<b>CUCKOO, BLACK &amp; WHITE</b> <i>Oxylophus jacobinus</i>	M	
420	51	97	<b>CUCKOO, DIEDERIK</b> <i>Chrysococcyx capirus</i>		
419	51	97	<b>CUCKOO, KLAAS'S</b> <i>Chrysococcyx klaas</i>		
409	51	96	<b>CUCKOO, RED-CHESTED</b> <i>Cuculus s. solitarius</i>		

359	49	85	<b>DOVE, EMERALD SPOTTED WOOD</b> <i>Turtur chalcospilos</i>	B	
370	48	86	<b>DOVE, RED EYED</b> <i>Streptopelia semitorquata</i>	B	
373	48	86	<b>DOVE, RING NECKED</b> <i>Streptopelia capicola somalica</i>	B	
1082	81	241	<b>DRONGO, COMMON</b> <i>Dicrurus adsimilis</i>	B	
155	32	39	<b>EAGLE, LONG CRESTED</b> <i>Lophaelus occipitalis</i>		
158	34	40	<b>EAGLE, MARTIAL</b> <i>Polemaetus bellicosus</i>		
150	34	36	<b>EAGLE, WAHLBERG'S</b> <i>Aquila wahlbergi</i>		
37	13	10	<b>EGRET, CATTLE</b> <i>Bubulcus. Ibis</i>		
160	37	45	<b>FALCON, LANNER</b> <i>Falco biarmicus</i>		
162	37	45	<b>FALCON, PEREGRINE</b> <i>Falco peregrinus</i>		
1294	118	275	<b>FIREFINCH, AFRICAN</b> <i>Langonosticta rubricata hildebrandti</i>	B	
1293	118	275	<b>FIREFINCH, RED-BILLED</b> <i>Lagonosticta senegala ruberrima</i>	B	
1043	84	231	<b>FISCAL, COMMON</b> <i>Lanius collaris humeralis</i>	B	
844	87	206	<b>FLYCATCHER, AFRICAN GREY</b> <i>Bradornis microhynchus</i>	B	
1007	88	212	<b>FLYCATCHER, AFRICAN PARADISE</b> <i>Terpsiphone viridis</i>	B	
831	87	207	<b>FLYCATCHER, DUSKY</b> <i>Musciapa adusta</i>		
843	88	204	<b>FLYCATCHER, SOUTHERN BLACK</b> <i>Melaenornis pammelaina</i>		
840	87	204	<b>FLYCATCHER, WHITE-EYED SLATY</b> <i>Melaenornis fischeri</i>	B	
190	27	50	<b>FRANCOLIN, CRESTED</b> <i>Francolinus sephaena</i>		
195	28	47	<b>FRANCOLIN, SCALY</b> <i>Francolinus squamatus maranensis</i>	B	
401	50	93	<b>GO-AWAY-BIRD, WHITE-BELLIED</b> <i>Corythaixoides leucogaster</i>		
74	15	18	<b>GOOSE, EGYPTIAN</b> <i>Alopochen aegyptiacus</i>		
702	76	156	<b>GREENBUL, YELLOW-WHISKERED</b> <i>Andropadus l. latirostris</i>		
1311	118	274	<b>GRENADE, PURPLE</b> <i>Uraeginthus ianthinogaster</i>	B	
204	28	46	<b>GUINEAFOWL, HELMETED</b> <i>Numida melagris</i>		

52	11	13	<b>HAMERKOP</b> <i>Scopus umbretta</i>		
117	34	34	<b>HARRIER-HAWK, AFRICAN</b> <i>Polyboroides t. typus</i>		
51	11	12	<b>HERON, BLACK HEADED</b> <i>Ardea melanocephala</i>		
48	11	12	<b>HERON, GREY</b> <i>Ardea c. cinerea</i>		
597	67	134	<b>HONEYBIRD, WAHLBERG'S</b> <i>Prodotiscus regulus</i>	R	
588	67	133	<b>HONEYGUIDE, LESSER</b> <i>Indicator minor</i>	R	
524	61	120	<b>HOOPOE, AFRICAN</b> <i>Upupa epops africana</i>		
543	63	122	<b>HORNBILL, CROWNED</b> <i>Tockus alboterminatus geloensis</i>		
549	63	124	<b>HORNBILL, SILVERY-CHEEKED</b> <i>Bycanistes brevis</i>	R	
547	63	124	<b>HORNBILL, TRUMPETER</b> <i>Bycanistes bucinator</i>		
62	10	16	<b>IBIS, HADADA</b> <i>Bostrychia hagedash breviorostris</i>		
61	10	16	<b>IBIS, SACRED</b> <i>Threskiornis a. aethiopicus</i>		
102	34	24	<b>KITE, BLACK</b> <i>Milvus migrans</i>		
100	37	24	<b>KITE, BLACK SHOULDERED</b> <i>Elanus caeruleus</i>		
633	72	141	<b>LARK, FAWN-COLOURED</b> <i>Mirafra africanoides intercedens</i>	B	
640	71	143	<b>LARK, RED-CAPPED</b> <i>Calandrella cinerea</i>		
628	72	140	<b>LARK, RUFOUS NAPED</b> <i>Mirafra africanoides</i>	B	
694	68	151	<b>LONGCLAW, YELLOW THROATED</b> <i>Maxronyx c. croceus</i>	B	
1319	119	279	<b>MANNIKIN, BLACK-AND-WHITE</b> <i>Lonchura bicolor</i>		
482	58	110	<b>MOUSEBIRD, BLUE-NAPED</b> <i>Urocolius macrourus pulcher</i>	B	
480	58	110	<b>MOUSEBIRD, SPECKLED</b> <i>Colius striatus kikuyuensis</i>	B	
449	53	104	<b>NIGHTJAR, MONTANE</b> <i>Caprimulgus p. poliocephalus</i>		
460	53	103	<b>NIGHTJAR, SLENDER-TAILED</b> <i>Caprimulgus clarus</i>		
1087	80	243	<b>ORIOLE, BLACK-HEADED</b> <i>Oriolus larvatus rolleti</i>	B	
428	55	99	<b>OWL, AFRICAN GRASS</b> <i>Tyto capensis</i>	R	

1129	78	244	<b>OXPECKER, RED-BILLED</b> <i>Buphagus erythrorhynchus</i>		
381	47	88	<b>PARROT, BROWN</b> <i>Poicephalus meyeri saturatus</i>		
380	47	89	<b>PARROT, RED FRONTED</b> <i>Poicephalus gullelmi massaicus</i>		
354	49	83	<b>PIGEON, AFRICAN GREEN</b> <i>Treron calva gibberifrons</i>		
365	49	84	<b>PIGEON, OLIVE</b> <i>Columba arquatrix</i>		
366	49	84	<b>PIGEON, SPECKLED</b> <i>Columba guinea</i>		
681	70	152	<b>PIPIT, GRASSLAND</b> <i>Anthus cinnamomeus</i>	B	
284	18	64	<b>PLOVER, CROWNED (LAPWING)</b> <i>Vanellus coroantus</i>		
266	19	65	<b>PLOVER, THREE BANDED</b> <i>Charadris t. tricoloris</i>		
924	101	198	<b>PRINIA, TAWNY-FLANKED</b> <i>Prinia subflava melanorhyncha</i>		
1072	82	236	<b>PUFFBACK, BLACK-BACKED</b> <i>Dryoscopus cubla</i>		
769	92	166	<b>ROBIN-CHAT, CAPE</b> <i>Cossypha caffra iolaema</i>		
771	92	166	<b>ROBIN-CHAT, RÜPPELL'S</b> <i>Cossypha semirufa intercedens</i>	B	
772	92	166	<b>ROBIN-CHAT, WHITE-BROWED</b> <i>Cossypha h. heuglini</i>		
1098	80	242	<b>ROOK, CAPE</b> <i>Corvus capensis</i>		
314	22	68	<b>SANDPIPER, COMMON</b> <i>Actitis hypoleucos</i>		
672	73	148	<b>SAW-WING, BLACK</b> <i>Psalidoprocne holomelas massaicus</i>		
530	62	120	<b>SCIMITARBILL, COMMON</b> <i>Rhinopomastus cyanomelas schalowi</i>		
95	30	24	<b>SECRETARY BIRD</b> <i>Sagittarius serpentarius</i>		
1343	121	284	<b>SEEEATER, STREAKY</b> <i>Serinus striolatus</i>		
1346	121	283	<b>SEEEATER, YELLOW-RUMPED</b> <i>Serinus reichenowi</i>	B	
111	40	28	<b>SNAKE-EAGLE, BLACK-CHESTED</b> <i>Circaetus pectoralis</i>		
300	24	73	<b>SNIPE, AFRICAN</b> <i>Callinago nigripennis aequatorialis</i>		
647	71	144	<b>SPARROW-LARK, FISCHER'S</b> <i>Eremopterix leucopareia</i>		
1187	108	252	<b>SPARROW, GREY-HEADED</b> <i>Passer griseus</i>		

1185	108	251	<b>SPARROW, RUFIOUS</b> <i>Passer rufocinctus</i>	B	
134	33	33	<b>SPARROWHAWK, GREAT</b> <i>Accipiter Melanoleucus</i>		
199	28	50	<b>SPURFOWL, YELLOW NECKED</b> <i>Francolinus leucoscepus</i>	B	
1111	77	247	<b>STARLING, GREATER BLUE-EARED</b> <i>Lamprotornis chalybaeus</i>	B	
1103	79	246	<b>STARLING, RED-WINGED</b> <i>Onychognathus morio</i>		
1118	77	250	<b>STARLING, SUPERB</b> <i>Lamprotornis superbus</i>		
1121	78	249	<b>STARLING, VIOLET-BACKED</b> <i>Cinnyricinclus leucogaster verreauxi</i>	B	
54	9	14	<b>STORK, BLACK</b> <i>Ciconia nigra</i>	R	
53	9	13	<b>STORK, WHITE</b> <i>Ciconia ciconia</i>	M	
60	9	13	<b>STORK, YELLOW BILLED</b> <i>Mycteria ibis</i>		
1149	105	225	<b>SUNBIRD, AMETHYST</b> <i>Nectarinia amethystina kalkkreuthi</i>		
1179	104	221	<b>SUNBIRD, BRONZE</b> <i>Nectarinia k. kilimensis</i>	B	
1180	104	221	<b>SUNBIRD, GOLDEN-WINGED</b> <i>Nectariania reichenowi</i>		
1151	105	228	<b>SUNBIRD, HUNTER'S</b> <i>Nectarinia hunteri</i>		
1181	104	222	<b>SUNBIRD, MALACHITE</b> <i>Nectarinia famosa</i>		
1150	105	228	<b>SUNBIRD, SCARLET-CHESTED</b> <i>Nectarinia senegalensis lamperti</i>		
1152	105	229	<b>SUNBIRD, VARIABLE</b> <i>Nectarinia venusta</i>	B	
664	73	146	<b>SWALLOW, MOSQUE</b> <i>Hirundo daurica emini</i>		
665	73	146	<b>SWALLOW, RUFIOUS CHESTED</b> <i>Hirundo semirufa gordonii</i>		
477	57	107	<b>SWIFT, WHITE-RUMPED</b> <i>Apus caffer</i>		
1047	82	237	<b>TCHAGRA, BLACK-CROWNED</b> <i>Tchagra senegala</i>	B	
251	17	60	<b>THICK-KNEE, SPOTTED</b> <i>Burhinus capensis</i>		
814	91	171	<b>THRUSH, LITTLE ROCK</b> <i>Monticola r. rufocinereus</i>	R	
564	65	128	<b>TINKERBIRD, RED-FRONTED</b> <i>Pogoniulus pusillus affinis</i>		
990	103	218	<b>TIT, WHITE -BELLED</b> <i>Parus albiventris</i>	B	

107	31	27	<b>VULTURE, RÜPPELL'S GRIFFON</b> <i>Gyps rueppellii</i>		
673	69	149	<b>WAGTAIL, AFRICAN PIED</b> <i>Motacilla aguimp vidua</i>		
678	69	150	<b>WAGTAIL, YELLOW</b> <i>Motacilla flava</i>	M	
873	96	184	<b>WARBLER, WILLOW</b> <i>Phylloscopus trochilus</i>	M	
1303	117	276	<b>WAXBILL, COMMON</b> <i>Estrilda astrild</i>	B	
1205	113	257	<b>WEAVER, BAGLAFECHT</b> <i>Ploceus baglafecht reichenowi</i>	B	
1232	115	255	<b>WEAVER, BLACK-HEADED</b> <i>Ploceus cucullatus</i>		
1214	113	260	<b>WEAVER, HOLUB'S GOLDEN</b> <i>Ploceus xanthops</i>		
1247	109	263	<b>WEAVER, RED-HEADED</b> <i>Anaplectes rubriceps leuconotus</i>		
1210	115	256	<b>WEAVER, SPECTACLED</b> <i>Ploceus ocularis suahelicus</i>		
1230	115	256	<b>WEAVER, SPEKE'S</b> <i>Ploceus spekei</i>	B	
982	102	220	<b>WHITE-EYE, MONTANE</b> <i>Zosterops poliogaster</i>		
1266	111	265	<b>WIDOWBIRD, JACKSON'S</b> <i>Euplectes jacksoni</i>		
1262	111	265	<b>WIDOWBIRD, RED-COLLARED</b> <i>Euplectes ardens</i>		
1260	111	267	<b>WIDOWBIRD, YELLOW-MANTLED</b> <i>Euplectes macrourus</i>		
527	62	119	<b>WOOD-HOOPOE, GREEN</b> <i>Phoeniculus s. somaliensis</i>		
610	65	137	<b>WOODPECKER, CARDINAL</b> <i>Dendropicos fuscescens</i>		
616	66	138	<b>WOODPECKER, GREY</b> <i>Dendropicos goertae rhodeogaster</i>		
601	66	136	<b>WOODPECKER, NUBIAN</b> <i>Campethera nubica</i>		